

GENERAL NOTES

1. CONTACT EACH MUNICIPAL, GOVERNMENTAL, OR PRIVATE UTILITY COMPANIES TO DETERMINE THE LOCATION OF ALL UNDERGROUND UTILITIES PRIOR TO ANY EXCAVATION.
2. SCHEDULE AND COORDINATE ALL SHUT DOWNS OF EXISTING UTILITIES WITH THE OWNER IN ADVANCE A MINIMUM OF SEVEN (7) DAYS PRIOR TO SHUT DOWN.
3. PROVIDE ALL REQUIRED EROSION CONTROL MEASURES PRIOR TO ANY EXCAVATION.
4. A CHEMICAL TOILET IS REQUIRED ON-SITE DURING CONSTRUCTION.
5. OTHER WORK MAY BE PERFORMED UNDER A SEPARATE CONTRACT AT THE CLIENT'S PROPERTY. COORDINATE WITH ALL OTHER CONTRACTED TRADES SO AS TO NOT INTERFERE WITH THEIR WORK.
6. ALL FASTENERS IN CONTACT WITH PRESERVATIVE TREATED WOOD SHALL BE HOT DIPPED GALVANIZED.
7. REFER TO STRUCTURAL DRAWINGS FOR STRUCTURAL REQUIREMENTS, SIZE, SPACING AND LOCATION OF ALL STRUCTURAL MEMBERS.
8. STRICTLY FOLLOW ALL MANUFACTURER'S INSTALLATION INSTRUCTIONS WHEN USING OR INSTALLING PRODUCTS.
9. ALL DOOR AND WINDOW DIMENSIONS ARE APPROXIMATE, VERIFY MANUFACTURER SPECIFICATIONS FOR EXACT SIZE.
10. USE 5/8" TYPE X GYPSUM WALL BOARD THROUGHOUT. PROVIDE WATER RESISTANT GYPSUM WALL BOARD IN RESTROOMS WITH SHOWERS. PROVIDE FRAMING AT 16" O.C. MAX AT CEILINGS WHERE WATER RESISTANT GYPSUM WALL BOARD IS INSTALLED.
11. FIRE BLOCKING SHALL BE PROVIDED IN STUD CAVITIES OVER 10' IN HEIGHT.
12. CONTACT DESIGNER OR ENGINEER OF RECORD TO CONFIRM DIMENSIONS IF NOT LISTED.
13. ITEMS LISTED ARE TO BE PROVIDED BY OTHERS, CONTACT OWNER FOR SPECIFICATIONS, DCS IS NOT RESPONSIBLE IN O.

AREA - CONDITIONED SPACE	
NOTE: CONDITIONED SPACE MEASURED FROM EXTERIOR SURFACES OF EXTERIOR FRAMING & HEAD CLEARANCE ABOVE 48"	
COVERED PATIO	800 SF
DECK	240 SF
TOTAL 1040 SF	
CONDITIONED	
LOWER LEVEL	6400 SF
MAIN LEVEL	7831 SF
UPPER LEVEL	3146 SF
TOTAL 17377 SF	
OUTDOOR	
COVERED ENTRY	1712 SF
COVERED SHED	126 SF
COVERED SHED	126 SF
DECK	1000 SF
TOTAL 3024 SF	
GRAND TOTAL	21440 SF

SHEET INDEX

- A-001 TITLE SHEET & GENERAL NOTES
- A-002 3D VIEWS - EXTERIOR
- A-003 3D VIEWS - INTERIOR
- A-101 LOWER LEVEL FLOOR PLAN
- A-102 MAIN LEVEL FLOOR PLAN
- A-103 UPPER LEVEL FLOOR PLAN
- A-104 ROOF PLAN
- A-105 SCHEDULES
- A-201 ELEVATIONS
- A-202 ELEVATIONS
- A-301 SECTIONS
- A-302 SECTIONS
- A-401 ADA DETAILS
- A-501 WALL DETAILS
- S-001 STRUCTURAL NOTES & SHEARWALL SCHEDULE
- S-101 FOUNDATION PLAN
- S-102 LOWER ROOF FRAMING PLAN
- S-103 UPPER ROOF FRAMING PLAN
- S-104 MAIN LEVEL SHEARWALL PLAN
- S-105 DETAILS
- S-106 DETAILS
- S-107 DETAILS

MATERIALS

	CONCRETE		METAL		RIGID INSULATION
	EARTH		PLYWOOD		WOOD
	GYPSUM WALL BOARD		STONE		BATT INSULATION
	GRAVEL				

REFERENCE SYMBOLS

	LEVEL OR SPOT ELEVATION		SHEARWALL TAG
	DETAIL CALLOUT		SHEARWALL TYPE, SEE SCHEDULE ON S-001 FOR NAILINGS AND ANCHOR BOLT SPACING
	DETAIL NUMBER		WALL TAG, SEE WALL DETAILS ON SHEET A-101
	ELEVATION SECTION & DETAIL CALLOUT		PROPERTY LINE
	DIRECTION OF VIEW		REVISION CLOUD AROUND REVISION
	DOOR TAG		
	WINDOW TAG		
	EQUIPMENT TAG		

ABBREVIATIONS

AFF ABOVE FINISHED FLOOR	FC FRAMING CLIP	NIC NOT IN CONTRACT	TEL TELEPHONE
ADJ ADJACENT	FRP FIBER REINFORCED PLASTIC	NTS NOT TO SCALE	TV TELEVISION
AGG AGGREGATE	FFL FINISHED FLOOR LINE	OC ON CENTER (S)	TEMP TEMPERED GLAZING
A/C AIR CONDITIONING	FE FIRE EXTINGUISHER	OD OUTSIDE DIAMETER	THK THICK (NESS)
ALT ALTERNATE	FD FLOOR DRAIN	OV OVEN	TFD TOILET PAPER DISPENSER
ALUM ALUMINUM	FTG FOOTING	OVN OVEN	T&G TONGUE AND GROOVE
AB ANCHOR BOLT	FND FOUNDATION	FEN PENETRATION	T.O. TOP OF
ABV ABOVE	SA GAUGE	FTD PRESSURE TREATED PAPER TOWEL DISPENSER	TP TOWEL BAR
ARCH ARCHITECT (J-RAL)	GALV GALVANIZED	PLAM PLASTIC LAMINATE	TYP TYPICAL
ASPH ASPHALT	GB GRAB BAR	PL PLATE, PROPERTY LINE	UNO UNLESS NOTED OTHERWISE
BLK BLOCK	GLB GULLAWY BEAM	PLYWD PLYWOOD	VBP VAPOR BARRIER
BLKG BLOCKING	GSN GENERAL STRUCTURAL NOTES	PVC POLYVINYL CHLORIDE	VF VERTIFY IN FIELD
BD BOARD	GWB GYPSUM WALL BOARD	PFS POUNDS PER SQUARE FOOT	VB VERTICAL
BLDG BUILDING	HND HARDWOOD	PFI POUNDS PER SQUARE INCH	VE VINYL BASE
CAB CABINET	HVAC HEATING/VENTILATING/A/C	QT QUARRY TILE	VCT VINYL COMPOSITION TILE
CPT CARPET (ED)	HSS HOLLOW STRUCTURAL STEEL	RCA RAISED CENTER AISLE	VF VINYL FABRIC
CLG CEILING	HB HOSE BIBB	REF REFRIGERATOR	VT VERTICAL
CL CENTERLINE	ID INSIDE DIAMETER	REINF REINFORCE (D), (NS)	VNC VINYL WALL COVERING
CT CERAMIC TILE	INSUL INSULATE (D), (IG)	REQ REQUIRED	WATER CLOSET
CO CLEANOUT	INT INTERIOR INV INVERT	ROK RIGHT OF WAY	WATER RESISTANT BARRIER
COL COLUMN	KIT KITCHEN	RM ROOM	WB WATER HEATER
CONC CONCRETE	LAB LABORATORY	RBT RUBBER TILE	WF WELDED WIRE FABRIC
CMU CONCRETE MASONRY UNIT	LAM LAMINATE (D)	SCH SCHEDULE	WV WATERPROOFING
CJ CONTROL JOINT	LAV LAVATORY	SEALER (CONCRETE SEALER)	WV WOOD VENEER FABRIC
CONT CONTINUOUS OR CONTINUE	LH LEFT HAND	SHT SHEET	WV WOOD VENEER
CF CUBIC FOOT	LF LINEAR FEET	SHV SHEET VINYL	WV WOOD VENEER
CY CUBIC YARD	LVL LAMINATED VENEER LUMBER	SIM SIMILAR	WV WOOD VENEER
DEMO DEMOLISH	LSL LAMINATED STRAND LUMBER	SPC SPECIFICATION (S)	WV WOOD VENEER
DET DETAIL	MH MANHOLE	SF SQUARE FEET	WV WOOD VENEER
DIA DIAMETER	MFR MANUFACTURE (ER)	SQ SQUARE	WV WOOD VENEER
DN DOWN	MAT MATERIAL (S)	STD STANDARD	WV WOOD VENEER
DS DOWNSPOUT	MAX MAXIMUM	STL STEEL	WV WOOD VENEER
DW DISHWASHER	MECH MECHANICAL (-LY)	STD STANDARD	WV WOOD VENEER
ELEC ELECTRIC (AL)	MTL METAL	STD STANDARD	WV WOOD VENEER
EQ EQUIPMENT	MTL MILLIMETER (S)	STD STANDARD	WV WOOD VENEER
EN EDGE NAIL	MIN MINIMUM	STD STANDARD	WV WOOD VENEER
EX EXISTING	MISC MISCELLANEOUS	STD STANDARD	WV WOOD VENEER

PROJECT DESCRIPTION



TWO STORY 80'X80' CHURCH WITH LOWER LEVEL.

PROJECT DIRECTORY

OWNER: PRINCE NNANKUDA
 CONTRACTOR:
 REGISTERED DESIGN PROFESSIONAL: ECLIPSE ENGINEERING, P.C., 2140 SW JEFFERSON ST., SUITE 100, PORTLAND, OR 97201, CONTACT: SCOTT RATTERMAN, 503.948.1224, SRATTERMAN@EEMT.COM

REVIVE AK LIFE CENTER

5021 O'MALLEY ROAD
ANCHORAGE, AK 99057



DISCLAIMER: ALL 3D IMAGES ARE AN APPROXIMATE ONLY. ALL 3D IMAGES ARE SHOWN FOR ILLUSTRATION PURPOSES ONLY. 2D DRAWINGS SHALL SUPERCEDE ALL ITEMS SHOWN ON 3D IMAGES. THIS SHEET IS PROVIDED AS A REPRESENTATION AND IS NOT FOR CONSTRUCTION.

11251 SE 232nd AVE



DAMASCUS, OR 97089

REVIVE AK LIFE CENTER
5021 O'MALLEY ROAD
ANCHORAGE, AK 99057

TITLE SHEET &
GENERAL NOTES


Drawn By: TL
1/10/2022 4:16:01 PM

No.	Date	Description

A-001

1/10/2022 4:16:01 PM

DISCLAIMER:
 ALL 3D IMAGES ARE AN APPROXIMATE ONLY. ALL 3D IMAGES ARE
 SHOWN FOR ILLUSTRATION PURPOSES ONLY. 2D DRAWINGS SHALL
 SUPERCEDE ALL ITEMS SHOWN ON 3D IMAGES. THIS SHEET IS PROVIDED
 AS A REPRESENTATION AND IS NOT FOR CONSTRUCTION.



11251 SE 232nd AVE






DAMASCUS, OR 97089

REVIVE AK LIFE CENTER
 5021 O'MALLEY ROAD
 ANCHORAGE, AK 99507

3D VIEWS - EXTERIOR


Drawn By		
TL		
1/10/2022 4:16:30 PM		
Drawing Index		
No.	Date	Description




NOT FOR CONSTRUCTION

A-002


1/10/2022 4:16:30 PM



2 3D VIEW - INTERIOR 4



1 3D VIEW - INTERIOR 2



4 3D VIEW - INTERIOR 3



3 3D VIEW - INTERIOR 1

11251 SE 232nd AVE



DAMASCUS, OR 97089

REVIVE AK LIFE CENTER
5021 O'MALLEY ROAD
ANCHORAGE, AK 99507


3D VIEWS - INTERIOR

Drawn By
TL
1/10/2022 4:17:08 PM

Drawing Index

No.	Date	Description

NOT FOR CONSTRUCTION




1 LOWER LEVEL FLOOR PLAN
1/8" = 1'-0"

AREA - CONDITIONED SPACE	
NOTE: CONDITIONED SPACE MEASURED FROM EXTERIOR SURFACES OF EXTERIOR FRAMING HEAD CLEARANCE ABOVE 40"	
COVERED PATIO	800 SF
DECK	240 SF
	1040 SF
CONDITIONED	
LOWER LEVEL	6400 SF
MAIN LEVEL	7831 SF
UPPER LEVEL	3146 SF
	17377 SF
OUTDOOR	
COVERED ENTRY	1172 SF
COVERED SHED	126 SF
COVERED SHED	126 SF
DECK	1000 SF
	3024 SF
GRAND TOTAL	21440 SF

Room Schedule Lower Level							
NOTE: ROOM AREA MEASURED FROM INTERIOR OF STUD WALL OR USEABLE SPACE							
Number	Name	Area	Floor Finish	Wall Finish	Material	Height	Comments
LOWER LEVEL							
001	GATHERING	2793 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
002	KITCHEN	874 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
003	COLD STOR.	94 SF	CONCRETE	BY OTHERS	BY OTHERS	PER MANUF.	
004	DRY STOR.	78 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
005	STAIR	51 SF	CONCRETE	BY OTHERS	BY OTHERS	VARIES	
006	STORAGE	264 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
007	CORR.	76 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
008	M.	227 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
009	JAN.	41 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
010	P.	253 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
011	PANTRY	923 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
012	COLD STOR.	126 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
013	STOR.	57 SF	CONCRETE	BY OTHERS	BY OTHERS	10' - 8 5/8"	
014	ELEV. EQUIP.	37 SF	CONCRETE	BY OTHERS	BY OTHERS	VARIES	
E1	ELEV.	43 SF	CONCRETE	BY OTHERS	BY OTHERS	EXPOSED	
		5863 SF					

Door Schedule Lower Level						
SEE SCHEDULES SHEET FOR DOOR TYPES AND COMPLETE SCHEDULE						
Mark	Type	Width	Height	Operation	Provided By	Comments
LOWER LEVEL						
001	E	3' - 0"	8' - 0"	DOUBLE SWING	OTHERS	
001A	E	3' - 0"	8' - 0"	DOUBLE SWING	OTHERS	
002	D	6' - 0"	8' - 0"	DOUBLE SWING	OTHERS	
002A	A	3' - 0"	8' - 0"	SWING	OTHERS	
002B	C	8' - 0"	4' - 6"	OVERHEAD COLLING	OTHERS	
002C	A	3' - 0"	8' - 0"	SWING	OTHERS	
003	-	3' - 0"	6' - 8"	SWING	OTHERS	PER MANUF.
004	-	3' - 0"	6' - 8"	CASED OPENING	OTHERS	
005	A	3' - 0"	8' - 0"	SWING	OTHERS	
006	A	3' - 0"	8' - 0"	SWING	OTHERS	
008	A	3' - 0"	8' - 0"	SWING	OTHERS	
009	A	3' - 0"	8' - 0"	SWING	OTHERS	
010	A	3' - 0"	8' - 0"	SWING	OTHERS	
011	D	6' - 0"	8' - 0"	DOUBLE SWING	OTHERS	
012	-	3' - 0"	6' - 8"	SWING	OTHERS	PER MANUF.
013	A	3' - 0"	8' - 0"	SWING	OTHERS	
014	A	3' - 0"	8' - 0"	SWING	OTHERS	
E1	-	3' - 0"	6' - 8"	CASED OPENING	OTHERS	
ZZZ	ZZZ	3' - 0"	8' - 0"			
ZZZ	ZZZ	2' - 6"	8' - 0"			
ZZZ	ZZZ	3' - 0"	8' - 0"			
ZZZ	ZZZ	2' - 6"	8' - 0"			
ZZZ	ZZZ	2' - 6"	8' - 0"			

Window Schedule Lower Level								
SEE SCHEDULES SHEET FOR WINDOW TYPES AND COMPLETE SCHEDULE								
Mark	Type	Rough Opening Width	Rough Opening Height	Head Height (BTM of HDR)	Sill Height (TOP of SILL)	Operation	Provided By	Comments
001	A	4' - 0"	6' - 0"	8' - 0"	2' - 0"	PICTURE	OTHERS	
002	A	4' - 0"	6' - 0"	8' - 0"	2' - 0"	PICTURE	OTHERS	




REVIVE AK LIFE CENTER
5021 O'MALLEY ROAD
ANCHORAGE, AK 99507

LOWER LEVEL FLOOR PLAN

Drawn By
TL
1/10/2022 4:17:10 PM
Drawing Index

No.	Date	Description

NOT FOR CONSTRUCTION



1 MAIN LEVEL FLOOR PLAN
1/8" = 1'-0"

AREA - CONDITIONED SPACE	
NOTE: CONDITIONED SPACE MEASURED FROM EXTERIOR SURFACES OF EXTERIOR FRAMING HEAD CLEARANCE ABOVE 48"	
COVERED PATIO	800 SF
DECK	240 SF
	1040 SF
CONDITIONED LOWER LEVEL	
MAIN LEVEL	7931 SF
UPPER LEVEL	3146 SF
	11077 SF
OUTDOOR COVERED ENTRY	
COVERED SHED	1712 SF
COVERED SHED	126 SF
DECK	1000 SF
	3024 SF
GRAND TOTAL	21440 SF

Room Schedule Main Level						
NOTE: ROOM AREA MEASURED FROM INTERIOR OF STUD WALL OR USEABLE SPACE						
Number	Name	Area	Floor Finish	Wall Finish	Ceiling Material	Height
101	VESTIBULE	736 SF	CONCRETE	BY OTHERS	2x6 T&G	VARIES
102	GATHERING	3842 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	2x6 T&G	VARIES
103	VESTIBULE	741 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	2x6 T&G	VARIES
104	STAIR	302 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	BY OTHERS	VARIES
105	MEN	204 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	BY OTHERS	9'-8 5/8"
106	JAN.	49 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	BY OTHERS	9'-8 5/8"
107	WOMEN	204 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	BY OTHERS	9'-8 5/8"
108	LOBBY	426 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	BY OTHERS	9'-8 5/8"
104	NURSERY	488 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	BY OTHERS	9'-8 5/8"
110	COVERED ENTRY	1734 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	2x6 T&G	VARIES
111	DECK	1001 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	2x6 T&G	VARIES

Door Schedule Main Level						
SEE SCHEDULES SHEET FOR DOOR TYPES AND COMPLETE SCHEDULE						
Mark	Type	Width	Height	Operation	Provided By	Comments
101	G	6'-1 1/2"	8'-0 3/4"	DOUBLE SWING	OTHERS	
101A	G	6'-1 1/2"	8'-0 3/4"	DOUBLE SWING	OTHERS	
101B	G	6'-1 1/2"	8'-0 3/4"	DOUBLE SWING	OTHERS	
101C	G	6'-1 1/2"	8'-0 3/4"	DOUBLE SWING	OTHERS	
102	B	4'-0"	8'-0"	SWING	OTHERS	
102A	B	4'-0"	8'-0"	SWING	OTHERS	
103	G	6'-1 1/2"	8'-0 3/4"	DOUBLE SWING	OTHERS	
103A	G	6'-1 1/2"	8'-0 3/4"	DOUBLE SWING	OTHERS	
103B	G	6'-1 1/2"	8'-0 3/4"	DOUBLE SWING	OTHERS	
103C	G	6'-1 1/2"	8'-0 3/4"	DOUBLE SWING	OTHERS	
104	B	3'-0"	8'-0"	SWING	OTHERS	
104A	B	3'-0"	8'-0"	SWING	OTHERS	
105	A	3'-0"	8'-0"	SWING	OTHERS	
106	A	3'-0"	8'-0"	SWING	OTHERS	
107	A	3'-0"	8'-0"	SWING	OTHERS	
108	E	3'-0"	8'-0"	DOUBLE SWING	OTHERS	
108A	B	3'-0"	8'-0"	SWING	OTHERS	
108B	B	3'-0"	8'-0"	SWING	OTHERS	
108C	B	3'-0"	8'-0"	SWING	OTHERS	
108D	B	3'-0"	8'-0"	SWING	OTHERS	
109	F	3'-0"	8'-0"	SWING	OTHERS	
109A	F	3'-0"	8'-0"	SWING	OTHERS	
D132	ZZZ	2'-6"	8'-0"		OTHERS	
D133	ZZZ	2'-6"	8'-0"		OTHERS	
D134	ZZZ	2'-6"	8'-0"		OTHERS	
D135	ZZZ	3'-0"	8'-0"		OTHERS	
D136	ZZZ	2'-6"	8'-0"		OTHERS	
D137	ZZZ	2'-6"	8'-0"		OTHERS	
D148	ZZZ	2'-6"	8'-0"		OTHERS	
D149	ZZZ	2'-6"	8'-0"		OTHERS	
E2	-	3'-0"	8'-0"	CASED OPENING	OTHERS	

Window Schedule Main Level						
SEE SCHEDULES SHEET FOR WINDOW TYPES AND COMPLETE SCHEDULE						
Mark	Type	Rough Opening Width	Rough Opening Height	Head Height (BTM OF HDR)	Sill Height (TOP OF SILL)	Operation
101	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
102	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
103	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
104	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
105	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
106	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
107	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
108	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
109	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
109	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
110	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
111	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
112	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
114	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
115	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
116	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
117	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
118	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
119	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
120	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
121	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
122	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
123	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
124	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
125	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
126	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
127	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
128	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
129	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
130	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE
131	A	4'-0"	8'-0"	8'-0"	2'-0"	PICTURE

11251 SE 232nd AVE
STRUCTURES
 DAMASCUS, OR 97089


REVIVE AK LIFE CENTER
 5021 OMALLEY ROAD
 ANCHORAGE, AK 99507

MAIN LEVEL FLOOR PLAN

Drawn By
 TL
 1/10/2022 4:17:12 PM

No.	Date	Description

NOT FOR CONSTRUCTION



1 UPPER LEVEL FLOOR PLAN
1/8" = 1'-0"

AREA - CONDITIONED SPACE	
NOTE: CONDITIONED SPACE MEASURED FROM EXTERIOR SURFACES OF EXTERIOR FRAMING 4' HEAD CLEARANCE ABOVE 48"	
COVERED PATIO	800 SF
DECK	240 SF
	1040 SF
CONDITIONED	
LOWER LEVEL	6400 SF
MAIN LEVEL	7831 SF
UPPER LEVEL	3146 SF
	17377 SF
OUTDOOR	
COVERED ENTRY	1772 SF
COVERED SHED	126 SF
COVERED SHED	3146 SF
DECK	1000 SF
	3024 SF
GRAND TOTAL	21440 SF

Room Schedule Upper Level						
NOTE: ROOM AREA MEASURED FROM INTERIOR OF STUD WALL OR USEABLE SPACE						
Number	Name	Area	Floor Finish	Wall Finish	Ceiling Material	Height
UPPER LEVEL						
201	LANDING	231 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	2x6 T&G	VARIES
202	OFFICE	410 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	2x6 T&G	VARIES
203	BATH	53 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	2x6 T&G	VARIES
204	GATHERING	1681 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	2x6 T&G	VARIES
205	DECK	236 SF	2x6 T&G DECKING, PB DCS	N/A	2x6 T&G	VARIES
206	OFFICE	516 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	2x6 T&G	VARIES
207	BATH	143 SF	PLY PB DCS, FINISH BY OTHERS	BY OTHERS	2x6 T&G	VARIES
		3255 SF				

Door Schedule Upper Level						
SEE SCHEDULES SHEET FOR DOOR TYPES AND COMPLETE SCHEDULE						
Mark	Type	Width	Height	Operation	Provided By	Comments
UPPER LEVEL						
201	B	3'-0"	8'-0"	SPING	OTHERS	
202	B	3'-0"	8'-0"	SPING	OTHERS	
203	A	3'-0"	8'-0"	SPING	OTHERS	
204	F	3'-0"	8'-0"	SPING	OTHERS	
204A	F	3'-0"	8'-0"	SPING	OTHERS	
206	B	3'-0"	8'-0"	SPING	OTHERS	
206A	B	3'-0"	8'-0"	SPING	OTHERS	
207	A	3'-0"	6'-0"	SPING	OTHERS	
207A	A	3'-0"	6'-0"	SPING	OTHERS	
E3	-	3'-0"	6'-0"	CASED OPENING	OTHERS	

Window Schedule Upper Level								
SEE SCHEDULES SHEET FOR WINDOW TYPES AND COMPLETE SCHEDULE								
Mark	Type	Rough Opening Width	Rough Opening Height	Head Height (BTM of HDR)	Sill Height (TOP of SILL)	Operation	Provided By	Comments
UPPER LEVEL								
201	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
202	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	TEMPERED
203	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	TEMPERED
204	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
205	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
206	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
207	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
208	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
209	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
210	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
211	A	4'-0"	6'-0"	10'-6"	4'-6"	PICTURE	OTHERS	
212	A	4'-0"	6'-0"	10'-6"	4'-6"	PICTURE	OTHERS	
213	A	4'-0"	6'-0"	10'-6"	4'-6"	PICTURE	OTHERS	
214	A	4'-0"	6'-0"	10'-6"	4'-6"	PICTURE	OTHERS	
215	A	4'-0"	6'-0"	10'-6"	4'-6"	PICTURE	OTHERS	
216	A	4'-0"	6'-0"	10'-6"	4'-6"	PICTURE	OTHERS	
217	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
218	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
219	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
220	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	TEMPERED
221	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	
222	A	4'-0"	3'-0"	T-6"	4'-6"	PICTURE	OTHERS	

11251 SE 232nd AVE



DAMASCUS, OR 97089

REVIVE AK LIFE CENTER
5021 O'MALLEY ROAD
ANCHORAGE, AK 99507

UPPER LEVEL FLOOR PLAN


Drawn By
TL
1/10/2022 4:17:13 PM

Number	Date	Description

NOT FOR CONSTRUCTION

A-103

KEYNOTES	
101	METAL STANDING SEAM ROOFING MATERIAL w/ SYNTHETIC UNDERLAYMENT, FBO
102	CHIMNEY w/ CRICKET AS REQ'D
103	CHIMNEY



1 ROOF PLAN
1/8" = 1'-0"

11251 SE 232nd AVE



DAMASCUS, OR 97089

REVIVE AK LIFE CENTER
5021 O'MALLEY ROAD
ANCHORAGE, AK 99507

ROOF PLAN

Drawn By
TL
1/10/2022 4:17:15 PM

No.	Date	Description

A-104


NOT FOR CONSTRUCTION

AREA - CONDITIONED SPACE table with columns for level and area (SF). Includes sections for COVERED PATIO/DECK, CONDITIONED LOWER/MAIN/UPPER LEVEL, and OUTDOOR COVERED ENTRY/SHED/DECK. Grand Total: 21440 SF.

Room Schedule table with columns: Number, Name, Area, Floor Finish, Wall Finish, Ceiling Material, Height, Comments. Categorized by LOWER LEVEL, MAIN LEVEL, and UPPER LEVEL.


Window Schedule table with columns: Mark, Type, Width, Height, Rough Opening, Head Height, Sill Height, Operation, Finish Color, Manufacturer, Provided By, Comments. Categorized by LOWER LEVEL, MAIN LEVEL, and UPPER LEVEL.

NOTE: LEGENDS ARE VISUAL REPRESENTATIONS OF WINDOW STYLE. ACTUAL WINDOWS MAY DIFFER IN APPEARANCE.




WINDOW TYPES 1/4" = 1'-0"

NOTE: LEGENDS ARE VISUAL REPRESENTATIONS OF DOOR STYLE. ACTUAL DOORS MAY DIFFER IN APPEARANCE. GLAZING WITHIN DOOR SYSTEMS TO BE TEMPERED.



DOOR SWING/SLIDE EX. 1/4" = 1'-0"

NOTE: LEGENDS ARE VISUAL REPRESENTATIONS OF DOOR STYLE. ACTUAL DOORS MAY DIFFER IN APPEARANCE. GLAZING WITHIN DOOR SYSTEMS TO BE TEMPERED.



DOOR TYPES 1/4" = 1'-0"

Door Schedule table with columns: Mark, Type, Width, Height, Operation, Door Swing, Frame Type, Finish, Grade, Manufacturer, Provided By, Comments. Categorized by LOWER LEVEL, MAIN LEVEL, and UPPER LEVEL.


NOT FOR CONSTRUCTION



DAMASCUS, OR 97089

REVIVE AK LIFE CENTER
5021 O'MALLEY ROAD
ANCHORAGE, AK 99507

KEYNOTES	
101	METAL STANDING SEAM ROOFING MATERIAL w/ SYNTHETIC UNDERLAYMENT, FBO
102	CHIMNEY w/ CRICKET AS REQ'D
103	CHIMNEY
201	2 STEP COLOR SELECT DECK TRIM, FB DCS
202	2 STEP COLOR SELECT FASCIA, FB DCS
203	COLOR SELECT CORNER TRIM, FB DCS
204	WOODTONE RUSTIC BOARD & BATT SIDING w/NRB, FB DCS
205	CEDAR RAILING, FB DCS
207	STONE PEDESTALL, FBO
208	COLOR SELECT BELLY BAND, FB DCS
209	4" CORBEL, FB DCS
210	WOODTONE LAP SIDING w/ NRB, FB DCS



1 FRONT
3/16" = 1'-0"



2 RIGHT
3/16" = 1'-0"

11251 SE 232nd AVE



DAMASCUS, OR 97089

REVIVE AK LIFE CENTER
5021 O'MALLEY ROAD
ANCHORAGE, AK 99507

ELEVATIONS


Drawn By
TL
1/10/2022 4:17:32 PM

No.	Date	Description
		Drawing Index

NOT FOR CONSTRUCTION

A-201


KEYNOTES	
101	METAL STANDING SEAM ROOFING MATERIAL w/ SYNTHETIC UNDERLAYMENT, FBO
102	CHIMNEY w/ CRICKET AS REQ'D
103	CHIMNEY
201	2 STEP COLOR SELECT DECK TRIM, FB DCS
202	2 STEP COLOR SELECT FASCIA, FB DCS
203	COLOR SELECT CORNER TRIM, FB DCS
204	WOODTONE RUSTIC BOARD & BATT SIDING w/NRB, FB DCS
205	CEDAR RAILING, FB DCS
206	TIMBER TRUSS, FB DCS
207	STONE PEDESTALL, FBO
208	4" CORBEL, FB DCS
210	WOODTONE LAP SIDING w/ NRB, FB DCS



1 REAR
3/16" = 1'-0"



2 LEFT
3/16" = 1'-0"

11251 SE 232nd AVE

 DAMASCUS, OR 97089

REVIVE AK LIFE CENTER
 5021 O'MALLEY ROAD
 ANCHORAGE, AK 99507

ELEVATIONS

Drawn By
 TL
 1/10/2022 4:17:53 PM

No.	Date	Description
		Drawing Index

A-202

NOT FOR CONSTRUCTION




REVIVE AK LIFE CENTER
5021 O'MALLEY ROAD
ANCHORAGE, AK 99507

SECTIONS

Drawn By
TL
1/10/2022 4:17:58 PM

No.	Date	Description
		Drawing Index

A-301



1 BUILDING SECTION A
3/16" = 1'-0"

NOT FOR CONSTRUCTION




REVIVE AK LIFE CENTER
5021 O'MALLEY ROAD
ANCHORAGE, AK 99507

SECTIONS

Drawn By
TL
1/10/2022 4:18:03 PM

No.	Date	Description
		Drawing Index

A-302



1 BUILDING SECTION B
3/16" = 1'-0"